

Contents

- 1. Overview
- 2. eBus Head-to-Head Evaluation
- 3. TTC-OPG-THESL Framework for Agreement
- 4. Recommendations



Overview

- A Clean Diesel Buses
 - 1 Hybrid-Electric Buses
 - 2 All-Electric Buses
 - 3 Infrastructure
- 4 Business Transformation





eBus Fleet Overview





XE40











Evaluation Domains

TTC's head-to-head evaluation of the only 3 vendors currently offering long-range electric buses in North America is the first of its kind.

Evaluation Domains:

- System Compatibility
- Accessibility
- Customer Experience
- Operator Experience
- Maintainer Experience

- Maintainability
- Cost
- Vendor Performance
- Vehicle Performance
- Charging System Performance



System Compatibility

	Battery-Electric Buses			Baseline
	BYD K9M	NFI XE40	Proterra E2	Nova HEV
Physical Compatibility			•	
Charging Technology Interoperability	U	⊘		N/A
Corrosion Resistant Frame				
Legend: Very Good	Satisfa	actory	Needs Impro	vement



Battery-Electric Buses

Baseline

BYD K9M

NFI XE40

Proterra E2

Nova HEV

Accessibility


























Battery-Electric Buses Baseline
BYD K9M NFI XE40 Proterra E2 Nova HEV


Vehicle Reliability














Battery-Electric Buses Baseline BYD K9M NFI XE40 Proterra E2 Nova HEV

Fleet Availability







Battery-Electric Buses Baseline
BYD K9M NFI XE40 Proterra E2 Nova HEV


Energy Consumption









Not Evaluated







Summary Results





Key Takeaways

- Preliminary results have successfully informed our next procurements
- Evaluation must continue with focus on improving reliability, availability, and reducing variation in energy consumption
- Industry is maturing we expect strong competition
- Operational risk can be managed through strong commercial and technical requirements
- A negotiated request for proposal provides the flexibility required to maximize potential for meeting business objectives



